



Print Copy Scan Fax Publish

colour multi-functions that
are high on quality and
low on running costs



KM-C2525E / KM-C3225E / KM-C3232E / KM-C4035E

At the heart of office productivity.

▶ TRUST THESE DEVICES TO DELIVER



The new KM-C2525E, KM-C3225E, KM-C3232E and KM-C4035E multifunction devices from Kyocera provide both high quality output and high productivity in one powerful machine. Combining a wealth of advanced functions with the versatility of colour, they are designed to cope with even the most diverse requirements of the modern business environment.

Kyocera's advanced system software ensures cross-network compatibility, allowing numerous workgroups to work simultaneously. It means there's no waiting for one job to finish so another can begin.

Long-life components make these devices extremely reliable, so you won't find yourself let down at crucial moments. Ease of use has been optimised through the incorporation of key features. Paper feeders have an assist mechanism to make them easier to open. The upper section of the feeder tray is transparent and the lower section black so originals can be easily distinguished from copies. A short warm-up time means you can get to work straight away, while a range of optional enhancements improves document handling efficiency still further.



Consider the typical office. Various workgroups are hard at work. One is collating material for a presentation, another is printing crucial documents to distribute to clients. Documents are being scanned, copied and printed. Some are monochrome, some are colour. Some are single pages, some are longer. What brings such diverse needs together is that they are all part of a typical office's workload. Kyocera's new office colour multifunctionals, the KM-C2525E, KM-C3225E, KM-C3232E and KM-C4035E, have been specifically designed to become an indispensable part of your workforce.



Perform several tasks simultaneously

Office tasks overlap. No problem, you can perform multiple functions at a time, e.g. network scanning while printing.

Tilting, widescreen touch panel

Easy to use to meet the needs of every individual user.

PDF compression and encryption as standard

When scanning to PDF, even complex colour documents can be captured and stored as PDF-files which comprise less data but still have high level quality and security.

More speed equals more productivity

Fast to warm up and fast first copy/print time, so you can get working without delay.

New touch-down development system

For outstanding print quality, time after time.

Long-life components

Durable components increase longevity, which means you won't be let down at vital moments.



▶ COPYING AND FAXING ADDS TO THE PERFORMANCE

As you'd expect with these extremely versatile devices copying comes as standard, while you have the option of Super-G3-level faxing. A scan-once-copy-many function lets you scan a document and make several copies in one go, while Image Repeat allows for reproduction of multiple images on a single sheet of paper.

▶ YOUR MULTITASKING PARTNER

In a dynamic office, the ability to manage a variety of documents from multiple users is crucial. Powerful processors and a large memory capacity (up to 1 GB + an optional 40 GB HDD) allow multiple jobs to be processed simultaneously; saving valuable time and improving office efficiency.

SCANNER PROGRAM MEMORY KEYS eliminate the time-consuming task of adjusting image resolution, quality and address settings every time you scan, speeding up and simplifying advanced workflow tasks.

DATA SECURITY KIT (optional) provides a further level of security. Encrypting data on the device's hard disk prevents documents from being read or reproduced without permission and restricts access to colour copying.

COMPRESSED PDF AND ENCRYPTION FUNCTIONS provide optimum PDF handling. By treating text and graphic elements separately when scanning, maximum compression of documents scanned to PDF is possible. What's more, there's no discernible loss of quality. The function enables conventionally data-heavy documents, like those containing colour photos, to be captured and stored with ease. PDFs can also be encrypted. A password is entered when a scan is made and has to be entered again for the PDF to open. An indispensable feature when security is paramount.

▶ EFFECTIVENESS THROUGH SYNERGY

When you need fast access to frequently used templates, Synergy Box is the answer. 100 preconfigured boxes are held on the hard drive, into which you place those files and templates you use often. It particularly suits team and departmental working, as boxes can be categorised on a project basis and files placed within them accordingly. Each box can be password-protected.

Extra memory

For increased document handling capabilities, an additional 40 GB hard disk drive can be added for printing.

HDD Data Security Kit

Supports HDD Data Encryption and HDD Data Overwrite, for top-level security.

Network fax board

Add shared fax facility to your network for added convenience and economy.

PDF Enhancement Kit

Lets you protect PDFs with a password and store large PDF files quickly and easily.

Optional paper input capacity

Add two 500-sheet or 3,000-sheet paper cassettes to suit your print run requirements.

Make your finishing choice

1,000-sheet finisher, 3,000-sheet finisher, mailbox, punch unit or booklet folder. The choice is yours.



SPEED MATTERS

Switch on the KM-C2525E, KM-C3225E, KM-C3232E and KM-C4035E and you only wait a short time before the device is ready. First-page-out time is remarkably fast. The paper-loading delay, so common with earlier devices, has been eradicated. Even if new paper can't be added straight away, the machine switches to another cassette to get the job done. The result? Documents are produced on time, deadlines are met.




Warm-up time:
45 seconds or less

▶ DIFFERENT OPTIONS TO SUIT THE WAY YOU WORK

Space-saving and compact, Kyocera's modular design philosophy makes their latest multifunctionals at home in any working environment, whichever configuration is chosen. Base models can be upgraded with a choice of paper cassette and finisher to suit the specific demands of a particular office. Every model features space-saving internal duplex units as standard, for convenient, professional double-sided printing and reduced paper consumption. And all models can be combined with a finisher to suit the specific demands of your office. Below are just some of the configurations that are possible.

Base version


Two 500-sheet paper cassettes and a 100-sheet multi-purpose tray provide a generous paper reserve.



Standard configuration

Extended base functionality


An additional paper cabinet with rollers protects your paper and is convenient when paper storage rooms are far away.



1257

Flexibility


Two additional 500-sheet paper cassettes enable fast, convenient access to multiple paper types.



PF-710

High capacity


This 3,000-sheet paper feeder is ideal if your office regularly has to handle large print runs.



PF-750

Entry level


This 1,000-sheet document finisher can staple up to 30 sheets.



DF-730

High capacity



This 3,000-sheet high capacity finisher loves large print runs and staples up to 50 sheets as standard.



DF-710

Advanced finishing


Add a punch unit to prepare your documents for easy filing. And for the ultimate in finishing, add a booklet unit to create booklets of up to 64 pages.



PH-5C + BF-710

Departmental

To separate output from different users, add a convenient mailbox with 7 trays.



MT-710

Effective solutions to improve working efficiency.

Achieving true efficiency in the modern office means applying strategic thinking to questions of workflow efficiency and cost control. Kyocera thinks diligently to devise entire solutions, not just products, to help streamline the way work is carried out and reduce the costs that are incurred. The following are three examples – solutions that allow businesses to stay ahead by combining maximum productivity with optimum cost-effectiveness.

DEPARTMENTAL CODE FUNCTION

Already installed on the KM-C2525E, KM-C3225E, KM-C3232E and KM-C4035E, therefore requiring no further investment, the departmental code function lets you decide just how much departments or individuals are allowed to print on this device. For example, you can set individual limits per person, for both total and colour print volume.

*KMnet Admin

The next level of cost control is offered by KMnet Admin. Offering completely integrated network device management, it lets you administer specific departmental codes comfortably. For example, you can decide how much an individual is allowed to print within a specific time frame, such as one calendar month. KMnet Admin allows print queuing, accounting and any other administration task to be controlled from a central application. With this single Web-based software solution, you can monitor expenditure across your network.

KYOCONTROL BUSINESS EDITION

A further step upwards takes you to the exceptional cost control functionality of KYOcontrol. This optional powerful, easy-to-use solution enables you to assign individual budgets to each user and define the costs for the features used (i.e. A4, A3, monochrome or colour) for each device. This encourages people to think more carefully about the right balance of printing in colour or black and white in order to make the best use of their budget. Thus KYOcontrol provides an additional layer of cost management, providing security and document workflow efficiency for your business.

*KMnet Admin Installation and Support package is available as an additional option when purchasing a Kyocera hardware Solution.

KM-C2525E/KM-C3225E/KM-C3232E/KM-C4035E

The KM-C2525E, KM-C3225E, KM-C3232E and KM-C4035E incorporate extremely durable components that guarantee efficient and reliable operation to meet the demanding requirements of busy office environments. The KM-C2525E, KM-C3232E and KM-C4035E provide effective productivity and maximise uptime whilst ensuring a minimum impact on the environment.

GENERAL

Technology:	Kyocera Laser Colour
Engine speed:	KM-C2525E: Max. 25/13 pages per minute A4/A3 in b/w, max. 25/13 pages per minute A4/A3 in colour KM-C3225E: Max. 32/16 pages per minute A4/A3 in b/w, max. 25/13 pages per minute A4/A3 in colour KM-C3232E: Max. 32/16 pages per minute A4/A3 in b/w, max. 32/16 pages per minute A4/A3 in colour KM-C4035E: Max. 40/20 pages per minute A4/A3 in b/w, max. 35/17 pages per minute A4/A3 in colour
Resolution:	600 x 600 dpi multi bit technology
Time to first copy:	KM-C2525E/KM-C3225E/KM-C3232E: 5.9 seconds or less in b/w, 7.9 seconds or less in colour KM-C4035E: 5.5 seconds or less in b/w, 7.5 seconds or less in colour
Warm-up time:	45 seconds or less
Power source:	AC 220 V ~ 240 V, 50/60 Hz
Power consumption:	KM-C2525E/ KM-C3225E/KM-C3232E/KM-C4035E: Printing: 700 W/920 W/970 W, Stand-By: 230 W/270 W/270 W, Power-Saving (ECOpower): 17 W/20 W/19 W
Noise (ISO 7779):	KM-C2525E: Printing: 65.5 dB(A), KM-C3225E: Printing: 65.6 dB(A), KM-C3232E: Printing: 67.6 dB(A), KM-C4035E: Printing: 68.5 dB(A) KM-C2525E/KM-C3225E/KM-C3232E: Stand-By: 53.3 dB(A), KM-C4035E: Stand-By: 56.9 dB(A) Power-Saving (ECOpower): Immeasurably low
Dimensions (W x D x H):	KM-C2525E/ KM-C3225E/KM-C3232E: Main unit: 605x660x745mm, KM-C4035E: Main unit: 605 x 668 x 745 mm
Weight:	KM-C2525E/ KM-C3225E/KM-C3232E: Main unit: Approx. 98 kg KM-C4035E: Main unit: Approx. 101 kg
Certifications:	TÜV/GS, CE, PTS

This product is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental conditions.

Input capacity:	2 x 500-sheet universal paper cassette, 60-105 g/m ² , A3-A5R, Letter, Legal, Custom (over A4 size up to 250 sheets) 100-sheet multi-purpose tray, 60-220g/m ² , A3-A6R, Folio, envelopes Max. input capacity with options: 4,100 sheets Duplex as standard supports A3-A5, 60-105 g/m ²
Output capacity:	250 sheets

COPY FUNCTIONS

Max. original size:	A3
Continuous copying:	1-999
Memory capacity:	Standard 768 MB (max. 768 MB) + 40 GB HDD
Zoom range:	25-400% in 1% steps
Preset magnification ratios:	5R / 5E
Digital features:	Auto colour selection, auto cassette change, auto paper selection, auto magnification selection, energy save mode, interrupt copy, scan-once-print-many, electronic sort, rotate copy, booklet copy, N-up copy, page numbering, cover mode, invert, mirror, poster mode, border erase, OHP mode, image repeat copy
Exposure mode:	Auto, manual: 7 or 13 steps
Image adjustments:	Text, Mixed, Print, Photo, Map colour balance adjustment, hue adjustment, one-touch colour adjustment

PRINT FUNCTIONS

Processor:	KM-C2525E/KM-C3225E: PowerPC 750FL / 600MHz KM-C3232E/KM-C4035E: PowerPC 750GL / 800MHz
Memory:	Standard 256 MB (max. 1 GB) + 40 GB HDD (HD-5)
Emulations:	PCL 6/PCL 5e/PCL 5c, KPDL3 (PostScript 3 compatible), KC-GL (HP-GL7550A)
Controller language:	PRESCRIBE IIc
Fonts:	80 outline fonts (PCL6), 136 outline fonts (KPDL3), 1 bitmap font, 45 types of one-dimensional barcodes
Print features:	eMPS - for quick copy, proof and hold, private print, PDF direct printing
Interfaces	
Standard interface:	High speed bi-directional parallel (IEEE 1284), USB 2.0 (Hi-Speed), Fast Ethernet 10/100Base-TX, 2 KUIO-LV slots
Multiple interface connection (MIC):	Allows simultaneous data transfer via up to four interfaces, with each interface having its own virtual printer.

SCAN FUNCTIONS

Functionality:	Scan-to-PC, scan-to-email, scan-to-FTP network TWAIN, scan-to-SMB
Scan speed:	KM-C2525E/ KM-C3225E/KM-C3232E: 32 originals per minute (600 dpi/A4), KM-C4035E: 40 originals per minute in b/w (600 dpi/A4) 35 originals per minute in colour (600 dpi/A4)
Scan resolution:	600, 400, 300, 200 dpi (256 greyscales)
Max. scan size:	A3
Original recognition:	Text, photo, text + photo, OCR
Interface:	10/100Base-TX
Network protocol:	TCP/IP
File types:	Colour: PDF, JPEG, TIFF Mono: PDF, TIFF
Compression format:	TIFF (MMR), colour: JPEG
Features:	High compression PDF, Encrypted PDF
Bundled software:	DB-Assistant, Scanner file utility, Address book, Address editor, TWAIN Source, PaperPort Deluxe 9.0
Applicable OS:	Windows® 95, 98, Me, NT4.0, 2000, XP, Vista, Server 2003

FAX FUNCTIONS (OPTIONAL)

Compatibility:	ITU-T Super G3
Modem speed:	Max. 33.6 kbps
Transmission speed:	3 seconds or less (JBIG)
Scanning density:	Normal: 8 dot/mm x 3.85 line/mm, Fine: 8 dot/mm x 7.7 line/mm, Superfine: 8 dot/mm x 15.4 line/mm, Ultrafine: 16 dot/mm x 15.4 line/mm (with optional memory), halftone
Max. original size:	A3
Compression method:	JBIG, MMR, MR, MH
Memory:	Standard 4 MB, max. 32 MB
Features:	Network faxing, rotate transmission, duplex fax reception, N-up reception, mailbox, remote diagnostics

OPTIONS

Fax system (N)

Paper handling
DP-710 Document processor: Reversing document processor, 100 sheets, 35-160 g/m², A3-A5R, Folio (ADF) 100 sheets, 50-120 g/m², A3-A5R, Folio (RADF)
PF-710 Paper feeder: 2 x 500 sheets, 60-105 g/m², A3-A5R, Folio
PF-750 Paper feeder: Max. 3,000 sheets, 60-105 g/m², A4, B5, Letter
DF-710 Document finisher + AK-710*: Main tray: Max. 3,000 sheets A4 or 1,500 sheets A3 face-down, 60-105 g/m², A3-B5, Sub tray left: Max. 200 sheets A4 or 100 sheets A3/B4 face-up, 45-105 g/m², A3-A6R, Sub tray right: Max. 50 sheets A4 face-up, 45-105 g/m², A4-A6R, Stapling: Max. 50 sheets A4 or 30 sheets A3, stapling at 3 positions
DF-730 Document finisher: Max. 1,000 sheets A4 or 500 sheets A3/B4, 64-105 g/m², A3-B5, one position stapling max. 30 sheets A4 or 20 sheets A3/B4, 64-105 g/m²
PH-5C Punch unit for DF-710: A3-A5R, 64-105 g/m², 2-hole/4-hole
MT-710 Mailbox for DF-710: 7 bins, 60-80 g/m², A3-A5R, 7 bins x 100 sheets A4 or 50 sheets A3/B4
BF-710 Booklet unit for DF-710: Max. 64 pages (16 sheets) booklet folding and stapling, 60-80 g/m², cover sheet 60-105 g/m², A3, B4, A4R
JS-710 Job separator:** 100 sheets internal job separator, 64-105 g/m², A3-A5R
*Adapter-Kit AK-710 is required for the use of DF-710 document finisher.
**JS-710 is required for the use of DF-710/DF-730 document finisher.
The use of the hard disk HD-5 or extended RAM-Disk size is highly recommended to achieve full document finisher functionality.

Memory

Printer Memory

DIMM memory:	DDR-SDRAM DIMM 2 slots (256, 512 MB), 1 slot empty
CompactFlash® card:	1 slot, formats, fonts and macro storage
HD-5 Hard disk:	40 GB, storage of data, formats, fonts etc. + eMPS, booklet printing

Fax Memory

MM-13-32:	32 MB
-----------	-------

Security

Data security kit (D)	Overwrites copy, print & scan data stored on the hard drive
-----------------------	---

Optional interface for print functions

IB-23 Network card:	10Base-T/100Base-TX
SB-70 Network card:	Wireless LAN - IEEE 802.11b
IC159-WLAN:	KUIO Port 802.11b Wireless LAN card
IB-11 Serial interface:	RS-232C serial interface (max. 115.2 kbps)

Others - Platen cover (D)

1257	Cabinet for 2 tray configuration
------	----------------------------------

CONSUMABLES

TK-825Y Toner-kit:	Microfine toner yellow for 7,000 pages at 5% A4 coverage
TK-825M Toner-kit:	Microfine toner magenta for 7,000pages at 5% A4 coverage
TK-825C Toner-kit:	Microfine toner cyan for 7,000 pages at 5% A4 coverage
TK-825K Toner-kit:	Microfine toner contrast for 15,000pages at 5% A4 coverage

In an effort to reduce future landfill pollution Kyocera has removed 6 hazardous materials from our latest products. Kyocera has implemented a totally lead free manufacturing process using lead free solder and components.



Australia Sales Enquiries

1300 364 429

Australia Web Address

www.kyoceramita.com.au

New Zealand Web Address

www.kyoceramita.co.nz

Sydney Head Office

6-10 Talavera Road
North Ryde NSW 2113
Phone: (02) 9888 9999
Fax: (02) 9888 9588

Melbourne Office

Unit 2, 993 North Road
Murrumbeena VIC 3163
Phone: (03) 9579 1555
Fax: (03) 9579 1544

Brisbane Office

Cnr Forbes St & Riverside Drive
West End QLD 4101
Phone: (07) 3844 6686
Fax: (07) 3844 8569

Perth Office

104 Walters Drive
Osborne Park WA 6017
Phone: (08) 9201 9155
Fax: (08) 9201 9511

Adelaide Office

53 Rundle Street,
Kent Town SA 5067
Phone: (08) 7421 2000
Fax: (08) 7421 2001

Canberra Office

Epicorp Centre
401 Clunies Ross Street
Acton ACT 2601
Phone: (02) 6229 1729
Fax: (02) 6229 1701

New Zealand Office

1-3 Parkhead Place
Albany New Zealand
Phone: (64) 9 415 4517
Fax: (64) 9 415 4597

ABN 77 003 852 444

**Kyocera is the
Official Supporter of
Business Clean Up Day**

**A SMART
ENVIRONMENTAL
CHOICE**

Protection of the environment is integral to Kyocera's day-to-day operations. Research over the last few decades has been focused, not only developing the most advanced document management devices, but also doing so in harmony with the environment.



Paragon Document Solutions Limited

Head office:
21 Effie Road
Fulham
London
SW6 1EN

Contact us:
www.paragon-ds.co.uk
0845 521 1420
info@paragon-ds.co.uk